

Greenwood Commissioners of Public Works
Electric Department
Light Pole Painting #E022817.1

E-3-2017 (LIGHT POLE PAINTING)
CONTACT: JAY “SKEETER” THOMPSON
CONSTRUCTION COORDINATING SUPERVISOR
864-942-8162 (OFFICE) 864-942-8136 (FAX)

1.0 SCOPE

1.01 This document contains the information and specifications needed to provide the customer with a bid to paint light poles as described in Greenwood, SC.

2.0 GENERAL

2.0.1 Any exceptions or deviations from the specifications contained within this document must be documented in writing and attached to the bid you submit. **Failure to list such exceptions or deviations may result in rejection of your bid.**

2.0.2 This document may contain reference to specific quantities, brand names and/or part numbers. **This is provided for a basis of design only and approved equals will be allowed. Exceptions must be listed in your bid.**

3.0 RULES AND REGULATIONS

3.0.1 All work performed and equipment provided must comply with applicable mandated rules and regulations, whether Federal, state or local. Examples of these mandated rules and regulations include, but are not limited to, OSHA, DOT, and ANSI.

3.0.2 For purposes of determining the local and state regulations, this unit will be based in Greenwood, South Carolina and any rules mandated by the state or local governments there shall apply.

3.0.3 If you are the successful bidder, you will be responsible for ascertaining the extent and nature of all applicable rules and regulations and making certain that your work is in compliance with them.

3.0.4 **The customer will not accept a unit that does not comply with all mandated rules and regulations. The burden of meeting these requirements rests totally with the successful bidder.**

Greenwood Commissioners of Public Works
Electric Department
Light Pole Painting #E022817.1

4.0 PAINTING SPECIFICATIONS

- 4.0.1 Contractor shall furnish all labor, materials, tools, and equipment necessary to sand, prep, and paint metal and fiberglass light poles, arms, and light heads in accordance with industry standards.
- 4.0.2 If repairs are necessary in fiberglass poles, fiberglass filler shall be used where practical.
- 4.0.3 Contractor shall supply all necessary traffic control devices and shall be responsible for all traffic control and the safety of the public as required by SCDOT.
- 4.0.4 Signs or attachments that cannot be removed shall be covered with masking tape. All masking tape shall be removed when the job is completed. CPW unique pole numbers shall be left in the same position on the pole.
- 4.0.5 Poles and fixtures shall be thoroughly sanded or etched and primed. Galvanized and aluminum poles shall be etched using Keeler and long etching primer or approved equivalent.
- 4.0.6 Poles and Fixtures shall be coated with a minimum of two finished coats.
- 4.0.7 Painting may be done by sprayer or roller and brush. Contractor shall be wholly responsible for all over spray.
- 4.0.8 Lenses shall be cleaned and re-installed.
- 4.0.9 Lamps and photo cells shall be changed. Lamps and photo cells will be supplied by CPW.
- 4.0.10 Contractor shall be responsible for cleanup and debris removal.
- 4.0.11 All poles and fixtures shall be painted black using Keeler and Long Q series finish coating or approved equivalent.

Greenwood Commissioners of Public Works
Electric Department
Light Pole Painting #E022817.1

5.0 POLE LOCATIONS AND QUANTITIES

- 5.1 Forty-six (46) 14' fiberglass poles with Town and Country heads located at Mimosa Green, Orchard Park, Hampton Trace, Leland Place, and Parkway.
- 5.2 Eleven (11) 35' steel round tapered poles with 6' arms and cobra heads located at Palmer St., S. Main, and Greenwood High Apts.
- 5.3 Seven (7) 35' steel square poles with shoe box heads located at the Veteran's Center and Enterprise Ct.
- 5.4 One (1) 35' fiberglass pole with 6' arm with cobra head located at Burgess Dr.
- 5.5 Two (2) 35' steel square (6X6) poles with shoe box heads located at W. Cambridge and Calhoun Ave.

END OF SPECIFICATION

Greenwood Commissioners of Public Works
Electric Department
Light Pole Painting #E022817.1

6.0 PRICING

E-3-2017 (Light Pole Painting)

QUOTING DEALER TO FILL IN ALL BLANKS IN THIS BOX

The services quoted meet or exceed all specifications listed in Sections 1 through 5 of this document: YES____ NO____

ANY EXCEPTIONS MUST BE LISTED BY SECTION NUMBER AND ATTACHED TO THIS DOCUMENT.

Price to perform work covered by Sections 1 through 5 of the attached specifications: \$ _____

Sales Tax \$ _____

TOTAL PRICE: \$ _____

Payment Terms: _____

This price is valid until: _____

Delivery date based on order being placed within 30 days of bid due date: _____

Signature: _____ Date: _____

NOTE: YOU MUST PLACE THIS SHEET ON TOP OF YOUR BID. FAILURE TO DO SO MAY RESULT IN YOUR BID BEING REJECTED.